













## RÉSUMÉ DES MODÈLES

			TYPE 10	TYPE 11	TYPE 20	TYPE 21	TYPE 22	TYPE 33
B = Hauteur (mm)	D = Entre axe d'alimentation (mm)	Vue de haut						
		Vue de côté						
<b>300</b>	<b>253</b>	W kg L n	317 6,22 1,70 1,3369	564 8,53 1,70 1,3459	577 12,01 3,39 1,3002	847 14,33 3,39 1,3043	1115 16,92 3,39 1,3065	1635 25,27 5,09 1,3162
<b>400</b>	<b>353</b>	W kg L n	420 8,02 2,19 1,3306	733 11,44 2,19 1,3309	730 15,62 4,39 1,2994	1067 19,04 4,39 1,3142	1406 22,73 4,39 1,3219	2087 33,99 6,58 1,3315
<b>500</b>	<b>453</b>	W kg L n	520 9,83 2,69 1,3244	890 14,35 2,69 1,3160	876 19,23 5,38 1,2986	1270 23,75 5,38 1,3242	1681 28,55 5,38 1,3374	2494 42,71 8,07 1,3469
<b>600</b>	<b>553</b>	W kg L n	617 11,64 3,19 1,3181	1036 17,26 3,19 1,3010	1016 22,85 6,38 1,2978	1460 28,47 6,38 1,3341	1943 34,36 6,38 1,3528	2857 51,44 9,56 1,3622
<b>700</b>	<b>653</b>	W kg L n	709 13,44 3,68 1,3118	1172 20,16 3,68 1,3182	1151 26,46 7,37 1,2970	1637 33,18 7,37 1,3455	2192 40,18 7,37 1,3620	3180 60,16 11,05 1,3708
<b>900</b>	<b>853</b>	W kg L n	883 17,05 4,68 1,2992	1413 25,98 4,68 1,3526	1480 33,68 9,36 1,2953	1959 42,61 9,36 1,3682	2660 51,81 9,36 1,3805	3715 77,61 14,04 1,3881

W = Emission calorifique en Watt  
kg = Poids  
L = Volume  
n = Coefficient  
Facteur de calcul par mètre de longueur du radiateur  
à 75/65/20°C selon EN 442.